

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	251	(test\$5 analy\$5 examin\$5 study\$4) near2 (fuel) near2 (injector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	L2	12	1 and (driver) near2 (circuit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	L3	12	2 and (load strain stress pressure force)	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	L4	5	3 and (switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	L5	4	4 and (port passage\$3 channel hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	L6	2	5 and (magnet\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	BRS	L7	2	6 and (chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	L8	2	7 and (indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	BRS	L10	1	9 and (oscilloscope)	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	L9	2	8 and (sens\$4 detect\$4 meas\$5 transducer)	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	L11	7	"4141243"	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	L12	29	(test\$5 analy\$5 examin\$5 study\$4) near2 (fuel) near2 (injector).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	L13	60341	(driver) near2 (circuit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	BRS	L14	649	13 and (fuel) near2 (injector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	L15	579	14 and (load strain stress pressure force)	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	BRS	L16	410	15 and (switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	L17	303	16 and (port passage\$3 channel hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	BRS	L18	116	17 and (magnet\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	L19	32	18 and (chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	L20	16	19 and (indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2003/10/09 15:21			0
2	2003/10/09 15:18			0
3	2003/10/09 15:19			0
4	2003/10/09 15:12			0
5	2003/10/09 15:13			0
6	2003/10/09 15:13			0
7	2003/10/09 15:13			0
8	2003/10/09 15:13			0
9	2003/10/09 15:11			0
10	2003/10/09 15:11			0
11	2003/10/09 15:11			0
12	2003/10/09 15:12			0
13	2003/10/09 15:12			0
14	2003/10/09 15:12			0
15	2003/10/09 15:12			0
16	2003/10/09 15:19			0
17	2003/10/09 15:13			0
18	2003/10/09 15:13			0
19	2003/10/09 15:13			0
20	2003/10/09 15:18			0

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	846	73/119A.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	BRS	L22	55	21 and (test\$5 analy\$5 examin\$5 study\$4) near2 (fuel) near2 (injector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	L23	7	22 and (driver) near2 (circuit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	L24	7	23 and (load strain stress pressure force)	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	BRS	L25	4	24 and (switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	BRS	L26	457	(test\$5 analy\$5 examin\$5 study\$4) near2 (driver) near2 (circuit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
27	BRS	L27	3	26 and (fuel) near2 (injector)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
21	2003/10/09 15:18			0
22	2003/10/09 15:21			0
23	2003/10/09 15:18			0
24	2003/10/09 15:19			0
25	2003/10/09 15:19			0
26	2003/10/09 15:21			0
27	2003/10/09 15:21			0